

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or  
operations suspended

Pin changed on location map

Devit and Record of A & P.

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed



11-59 WDR

#### FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

#### COMPLETION DATA

Date Well Completed

10-28-59

Location Connected

CW

VW

TA

Bond checked

GW

OS

PA

State of Fee Land

#### LOGS FILED

Driller's Log

Electric Logs (No. )

E

I

E-I

GR

GR-N


Micro

Lat

Mi-L

Sonic

Others



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 10961

Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah October 2, 1959

Well No. (111) 32-24A is located 2741 ft. from [N] line and 660 ft. from [E] line of sec. 24A

SW 1/4 NE 1/4 24 73 22E 313M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the Kelly Marker above sea level is 5236 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test well for oil or gas to be completed in the lower Green River formation.

10 3/4" casing to be cemented approximately 225'.

7" casing to be cemented below lowest productive interval with sufficient cement to reach 4000'.

Ext. Markers:

Top Green River 2921'  
"E" Point 4756'  
"K" Point 5328'

Proposed depth: 5555'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Company of California, Western Operations, Inc.

Address P. O. Box 453

Vernal, Utah

By G. V. Clifton 10/2/59

Title District Superintendent

USGS-3; OMCO-1; Gulf-1; Cullin-1;  
OM-1; File-1

COMPLETION REPORT - NEW WELL  
STANDARD OIL COMPANY OF CALIFORNIA

FIELD: Red Wash

PROPERTY: Section 24A

WELL NO: 32-24A (111)

Sec 24 T. 7S R. 22E S.L. B. & M.

LOCATION: 2741' N and 660' E of the S 1/4 corner  
of Section 24, T 7S, R22E, SLBM

LAND OFFICE: Salt Lake City, Utah  
LEASE NO: U-0561

ELEVATION: 5236' K.B. Driveway

~~NO EXPOSURE~~ K.B. is 14' above ~~ground~~

DATE May 17, 1960

By C. V. CHAPPERTON 5/20/60  
Supt. ~~Manager~~ Producing Department

DRILLED BY: Warren Bradshaw Drilling Company

DATE COMMENCED DRILLING: October 6, 1959

DATE COMPLETED DRILLING: October 28, 1959

DATE OF INITIAL PRODUCTION: December 16, 1959

*Has as low as*

PRODUCTION:	Daily average, 1st <u>30</u> days	Gravity <u>27.0</u> ° API	Pumping <u>X</u>
	Oil . . . . . <u>85</u> Bbls.	T. P. <u>-</u> PSI	Flowing <u>-</u>
	Water . . . . . <u>20</u> Bbls.	C. P. <u>-</u> PSI	Gas Lift <u>-</u>
	Gas . . . . . <u>80</u> Mcf.	Beam <u>-</u> /64"	

S U M M A R Y

T.D. 5755'

EFFECTIVE DEPTH: 5557'

CASING: 10-3/4" cmtd @ 174'  
7" cmtd @ 5602'

PERFORATIONS: 4 - 1/2" bullet holes/ft.  
5536-5544'; 5483-5494'


LOGS RUN:

Schlumberger-IES 5755-176'  
Micro Caliper log 5755-2000'  
McCullough Gamma  
Collar Log 5554-4700'  
McCullough Tracer  
log 5554-4700'

MARKERS:

TGR - 2912'  
H - 4805'  
I - 5023'  
J - 5332'  
K - 5482'

DST-s #1 - 5483-5493'  
#2 - 5420-5450'  
#3 - 5630-5644'  
#4 - 5520-5558'



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City  
Lease No. U-0761  
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	X	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah June 29, 19 62

Well No. (30-24A) 111 is located 2741 ft. from [S] line and 1980 ft. from [E] line of sec. 24  
SW 1/4 NE 1/4 24 78 22E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Uintah Utah  
(Field) (County or Subdivision) (State or Territory)

Billy Bushing  
The elevation of the ~~shooting point~~ above sea level is 5236 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We Propose To:

1. Stimulate all existing perfs by acid-oil frac.
2. Cut horizontal slots at 5436', acidize and wash test.
3. Cut horizontal slots at 5418', acidize and wash test.
4. Free each new zone that is oil productive and cement squeeze any zone that is not oil production.
5. Clean out well and return to production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 435

Vernal, Utah

Original Signed By  
By R. W. PATTERSON

Title Field Superintendent

USGS, SIC-3; OSGC, SIC-1; Gulf, Denver-1; Conkline-1; RLO-1; File-1

WELL NO: 32-24A (111)

PROPERTY: Section 24

RED WASH FIELD

Cemented 16" conductor at 25'.

Warren Bradshaw moved in,,rigged up.

Well spudded in at 6:50 P.M. October 6, 1959. Drilled 15" hole from 25' - 176'.

Cemented 10-3/4" casing at 174' with 150 sac common cem mixed to 15 - 15-1/2#/gal slurry with 2% calcium chloride. Displaced cem with 14.5 bbls of water calculated to leave 30' inside casing. Had good circ during job and cem returns to surface. Cem in place 4:50 A.M.

## Casing Detail:

All 5 jts 160' 10-3/4" 40.5# J-55 8rd ST&C new Smls.  
 Landed 14' below K.B. (incl. Baker guide shoe)  
 174' • Depth of shoe - Bakerlok on thrds of shoe end 1st jst.

Drld 9" hole from 176 to 5555'. Lost circulation 3309-3347'.

October 22, 1959

Ran Schlumberger Induction ES and Recorded from 5554 to 176' and Micro Caliper log and recorded from 5560 to 2000'. TGR 2912, H 4805', I 5023', J 5332', K 5482'.

October 23, 1959

Drld 9" hole from 5555 to 5578'.

Halliburton DST #1 of interval 5483-5493. Ran straddle tester with TIW safety jt. Bowen Itco jars hydrospring tester (1" bean) dual CIP tool. Set packers at 5478, 5483 and 5493. No cushion. Opened tool 3:25 A.M. Took 3 min flow, 45 min ICIP, 1 hr flow and 45 min FCIP. Had a med blow of air at est 10 M/D rate first 15 min. Gas to surf in 15 min at est 10 M/D rate. Last 45 min of test had a declining slightly heading blow of gas declining to an est of 5-7 M/D rate. Rec 760' in 4-1/2" DP and 603' of 2-3/4" ID D.C's. Top 700' clean gassy oil 28° API gravity 96°F pour point. Bottom 60' thin gassy mud with a scum of oil. Sample at tool tested 4.03 ohm meters @ 80°F.

Pressures:	IH	ICIP	IF	FF	FCIP	FH
Top	2718	2254	85	210	2112	2718
Bottom	2763	2278	86	260	2128	2763

Chart below bottom pkr indicated pkr held ok.

Halliburton DST #2 of interval 5420-5450 same tester as above. Set pkrs at 5415, 5420 and 5450. No cushion. Light steady blow of air for 1 hr test. Took 5 min flow, 45 min ICIP, 1 hr flow and 3/4 hr FCIP. Rec 1525' rise in 4-1/2" DP and 603' of 2-3/4" ID DC's. Top 460' thick gassy mud w/scum oil, next 795' thin gassy mud w/scum oil. Sample 603. Bottom 270' gassy muddy water w/scum oil. Sample 603, 360, 270 and 180' above tool and at tool and ditch sample tested 5.3, 3.5, 3.5, 2.95, 2.55 and 4.60 at 75°F respectively.

Pressures	IH	ICIP	IF	FF	FCIP	FH
Top	2675	2132	675	779	1965	2675
Bottom	2680	2129	755	819	1830	2680

Chart below pkr indicated bottom pkr held ok.

October 25, 1959

Drld 9" hole from 5578 to 5755'.

Ran Schlumberger Induction ES and Microlog. Took sidewall samples.

DST #3 Ran Halliburton sidewall anchor tool on 4-1/2" DP and 603' of 6-3/8" OD Dc's TIW safety jt, Bowen Itco jars, hydrospring tool 1" choke and DCIP tool. Set packers 5625, 5630 and 5644. Opened tool 5:30 A.M. Took 3 min. flow, 45 min ICIP, 1 hr flow

WELL NO: 32-24A (111)

PROPERTY: Section 24

RED WASH FIELD

test and 45 min FCIP. No gas to surface. Had light steadily increasing blow of air to a max of 2 M/D(est) at end of test. Rec 705' rise, top 45' thin mud w/scum oil, bottom 660' gassy clear water samples 695, 525, 433, 343 above tool and at tool. tested 4.2, 1.30, 1.10, 0.95 and 0.94 ohm meters @ 75°F respectively.

Pressures	IH	ICIP	IF	FF	FCIP	FH
Top	2820	2300	65	295	2175	2800
Bottom	2805	2278	65	305	2170	2805

Chart below bottom pkr indicated that bottom pkr held ok.

Attempted DST #4 of interval 5530-5558.

DST #4 Ran Halliburton sidewall anchor tool as above. Set packers at 5515, 5520 and 5548. Top packers failed. Lost approx 1 bbl mud. Pulled loose and reset packers at 5525, 5530 and 5558'. Opened tool at 2:23 P.M. 3 min flow test, 45 min FCIP, 1 hr test, 3/4 hr FCIP. No gas to surface. Had a heading blow of air for 1 hr test. Rec 4090' rise in 4-1/2" DP and 603' of 6-3/8" OD DC. Top 460' mud grading to gassy muddy water w/scum of oil, bottom 3630' gassy water w/scum oil. 5 samples from 640 above tool to tool sample tested 1.20 ohm meters at 85°F. Chart below bottom packer indicated bottom packer did not hold.

Pressures	IH	ICIP	IF	FF	FCIP	FH
Top	2800	2259	635	1840	2195	2759
Bottom	2827	2755	840	1853	2212	2805

October 27, 1959

Ran 139 jts 7" 23# N-80 and J-55 casing 5603.99' on hook and cemented same at 5602' with 355 sacks Ideal construction cement. Preceded cement with 10 bbl water, mixed first 50 sacks to 14#/gal slurry and remainder to 15.5#/gal ave slurry. Circulated 30 min and had full mud returns. Had full returns of mud while cementing. Moved casing 10-12' while cementing. Started mixing cement at 12:30 P.M. 30 min mixing and 22 min displacing. Cement in place at 1:20 P.M. Landed in as cemented position w/115000#. Blocks weigh 20,000#.

7" casing detail:

Bottom	7 jts or	284.80	7" 23# N-80 8rnd LIT&C new Pittsburg smls*
Next	1 jt or	20.20	7" 23# J-55 8rnd LIT&C new CF&I smls
Top	132 jts or	5298.99	7" 23# J-55 8rnd ST&C new Lone Star smls
Total		5603.99	

-3.99 above KB

Landed at 5602' Fitted with centralizers on jt 1 thru 10 & 67, jt 16 thru 19, and 21st jt. Scratchers on 6' centers on entire jt #1, 3, 4, 5 and 7, jt #2 4 on bottom, jt #5 3 on top, jt #9 2 on top and 2 on bottom, jt #10 2 on top, jt #12 2 on bottom, jt #19 3 on top, jt #20 4 on bottom, jt #21 2 on top and jt #22 3 on bottom.

Cut and recovered 15.35' of casing.

\*Fitted w/Baker guide shoe and Flexiflow differential float collar on bottom joint.

October 28, 1959

Circulated out to top of Baker Flexiflow collar at 5549' tbg meas.

Ran McCullough Gamma Collar Log and recorded from 5554 to 4700'. Found bottom 5558'

McCullough meas 6' higher than Schlumberger meas. 5530' Mc = 5536' Schlumberger.

Perforated 4 - 1/2" M-3 bullet holes/ft 5536-5544 and 5483-5494'.

Landed 2-1/2" tubing at 4948' and hung in fracking head.

2-1/2" tubing detail:

Top	7.0	KB frac head
Bottom	156 jts	4941.00 2-1/2" EUE 6.5# J-55 tubing
Total		4948.00

Pressure tested frac head to 200psi.

Pumped in bbl of rangely crude in 7" x 10-3/4" annulus

Rig released 11:59 P.M. 10-28-59.

WELL NO: 32-24A (111)

PROPERTY: Section 24

RED WASH FIELD

November 5, 1959

After drlg rig moved off, Halliburton spotted 500 gals of non-emulsifying, penetrating acid thru tubing, let pickle on bottom for 2-1/2 hrs. Broke formation w/2 stages of 5 bbls each through tubing.

Halliburton sand/oil squeezed by Braden Head method using 180 bbls of burner fuel mixed w/18,800# of 20-40 mesh sand, 400# Adomite and 17 millicuries radioactive sand. No balls were used because of high fracing press. Flushed w/173 bbls of burner fuel. Maximum press 2800 psi. Instant shutin press. 1800; after 5 min, 1200 psi. Average rate during job - 18.2 BPM.

November 6, 1959

R&R moved in and rigged up  
Cleaned out sand to 5557.

November 7, 1959

McCullough ran tracer log.  
Landed tubing at 5374'.

Tubing detail:

1 jt	N-80	31.90
168 jts	J-55	5327.80
1 PSN		1.10
Sub		10.06
G.A.		30.47
		<u>5401.33'</u>
		-14.00' KB to tubing head
		<u>P.S.M. set at 5374.70'</u>

R&amp;R released November 7, 1959.

November 25, 1959

Ran rods.

Rod detail:

Polish rod	1-1/4" x 22'
Poney rod	7/8 x 4-6-6-6
7/8 x 25 huber	87
3/4 x 25 huber	66
3/4 x 25 plain	60
Pump #102	
Axelsson	3 top cup.

T. R. HULL


(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U-0961

Unit Red Wash



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING <b>X</b>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah November 20, 1962

Well No. (32-24A) 111 is located 2791 ft. from 24 line and 1980 ft. from [E] line of sec. 24

SW 1/4 NE 1/4 24th 78 20E 123M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Red Wash Utah Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the Well above sea level is 5235 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Work Conducted:

1. Sand-oil fraced all existing perfor.
2. Abrasiperforated, acidized, scrubbed and sand-oil fraced 3 - 60" slots at 7436'.
3. Abrasiperforated, acidized, scrubbed and sand-oil fraced 3 - 60" slots at 7418'.
4. Cleaned out to 7557'. Returned well to production.

Production

13 BOPD  
236 MCFD

148 BOPD  
37 water  
100 MCF

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455

Vernal, Utah

By R. W. PATTERSON

Title Field Superintendent

USGS, REC-3; OREGON, REC-1; Gulf, Denver-1; Conkline-1; REC-1; File-1



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐  
well well  
2. NAME OF OPERATOR  
Chevron U.S.A. Inc.  
3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 2741' FSL and 1980' FEL (SWNE)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	<input type="checkbox"/>	<input type="checkbox"/>

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

It is proposed to perforate and acidize and return well to production as per attached procedure.

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

DATE: 2/10/82 BY: W. Leight  
No additional surface  
disturbances required  
for this activity.

3-USGS  
2-State  
3-Partners  
1-Field Foreman  
1-Sec. 723  
1-File

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Arlene F. Bush TITLE Engineering Assistant DATE January 22, 1982

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

WELL NAME: RWU 111 (32-24A)

FIELD: Red Wash

PROPOSED PERFORATING PROCEDURE

1. Changes intended: Perforate JD sand
2. Results anticipated: Return well to production with IR of 25 BOPD.
3. Conditions of well which warrant such work: Well shut-in since July 1967 because of low production.
4. To be ripped or shot: Shot
5. Depth, number and size of shots (or depth of rips): 4" casing guns w/2 SPF

5446-5416

6. Date last Log of well filed: --
7. Anticipated additional surface disturbances: None
8. Estimated work date: 2/1/82
9. Present production and status:

Date

BOPD

MCFD

BWPD

Well shut-in July 1967

WELL NAME: RWU 111 (32-24A)

FIELD: Red Wash

PROPOSED TREATMENT PROCEDURE

1. Objective: Return well to production.
2. Size and type of treatment: 1500 gals 15% HCl.
3. Intervals to be treated:  
5544-5483  
5446-5416
4. Treatment down casing or tubing: Casing
5. Method of localizing its effects: Benzoic acid flakes.
6. Disposal of treating fluid: Swab spent acid to frac tank.
7. Name of company to do work: Halliburton, Dowell or Western.
8. Anticipated additional surface disturbances: None
9. Estimated work date: 2/1/82
10. Present status, current production and producing interval:

Date

BOPD

MCFD

BWPD

Well shut-in July 1967

RWU NO. 111 (32-24A)  
WORKOVER JUSTIFICATION  
January 5, 1982

The subject well is one of the six north central wells which are being returned to production. These wells were shut-in in 1967. Original planning called for RWU No. 111 to be converted to an injector, but it has proved to be the best producer of the six. The well was tested for 29 days in October and November at an average 23 BOPD with a 12% oil cut while carrying moderately high fluid levels. (See Table One).

As a result of the well's performance, it is recommended to return it to production on a permanent basis. No funds have been appropriated for this project since it was planned to convert this well to an injector. The accompanying AFE includes not only funds for the required well work, but also 41 M\$ for repair of the well's flow line. All other flow line money for the north central area project was included in one separate AFE. The estimated cost of 41 M\$ to repair the existing flow line was provided by Mr. R. D. Everson.

RWU No. 111 is currently perforated from 5,483-94 and 5,536-44 with 3-60° slots at 5,418 and 5,436. Both sets of slots are in the JD sand, which extends from 5,409 to 5,450. The proposed well work will include perforating the JD sand in an effort to improve its productivity. Since both sets of slots were fractured in 1962, it is unlikely that we could selectively squeeze them for water elimination if desired. We have nothing to lose by perforating the entire JD sand as a result. These depths are from the Schlumberger IES Log dated 10/25/59; an upward shift of six feet is required to be on depth with the McCullough GR-CCL of 11/07/59. After perforating, all perforations will be acidized.

RWU NO. 111 (32-24A)  
WORKOVER PROCEDURES  
JANUARY 6, 1982

Well Data:

SW $\frac{1}{4}$ NE $\frac{1}{4}$ , Section 24, T-7-S, R-22-E, Uintah Co., Utah  
GL=5222 KB=5236 Drill Depth=5755 PBD=5575  
7" 23#/ft J-55 & N-80 set @ 5602

Tubing Detail:

KBTH	14.00
BWH	0.95
25000 # tension	2.50
171 jts 2-7/8" tubing	5416.32
BAC	2.38
1 jt 2-7/8" tubing	30.05
PSN	1.10
pup jt	10.06
gas anchor	30.47
	<u>5508.28</u>

Perforations:

5418	3-60 <sup>0</sup> slots	5483-94	4-1/2" shots/ft
5436	3-60 <sup>0</sup> slots	5536-44	4-1/2" shots/ft

Status:

SI rods and pump in hole

History:

12/59  
completed w/ perfs 5,536-44 and 5,483-94  
IP=85 BOPD 20 BWPD  
7/62  
cut slots @ 5,436 and 5,418 - fraced all open zones  
Before=11 BOPD 15 BWPD After=125 BOPD 37 BWPD  
10/63  
Acidize all open zones  
Before=44 BOPD 0 BWPD After=107 BOPD 0 BWPD  
7/67  
SI  
1 BOPD 22 BWPD

RWU NO. 111 (32-24A)  
WORKOVER PROCEDURES  
JANUARY 14, 1982  
PAGE 2

Procedures:

1. POOH w/ rods, pump and production string.
2. CO to PBTD (5575').
3. Perforate the following interval using 4" casing guns w/ maximum penetration charges @ 2 shots per foot. Depths are from Schlumberger IES Log dated 10/25/59.  
  
5,446-16                      30 ft                      60 shots
4. Isolate perforations 5,544-5,483 and perform acid job as follows:  
2000 gal 15% HCl w/ 10 gal/M Fe-1A iron sequestering agent, 50 gal/M Parasperse paraffin dispersant, 2 gal/M Tri-S surfactant, 5 gal/M HC-2 suspending agent, 50 #/M Spacer-Sperse dispersant and 2 gal/M HAI-55 corrosion inhibitor. Evenly distribute 80 perf balls throughout acid. Flush as required.
5. Isolate perforations 5,446-16 and perform three-stage acid job as follows:  
1500 gal 15% HCl w/ additives as in step 4; 500 gal produced water w/ 100 # benzoic acid flakes, 1500 gal acid w/ additives as before; 500 gal produced water w/ 100 # benzoic acid flakes; 2000 gal acid w/ additives as before and 60 perf balls evenly distributed throughout acid; flush as required.
6. Reset RBP & PKR and swab back load from both acid jobs.
7. Run production string, rods and pump. Put well on production and monitor fluid levels as required.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐  
2. NAME OF OPERATOR  
CHEVRON U.S.A. INC.  
3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 2741' FSL and 1980' FEL (SWNE)  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

SUBSEQUENT REPORT OF:

☐  
☐  
☒  
☐  
☐  
☐  
☐  
☐

5. LEASE  
U-0561  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
7. UNIT AGREEMENT NAME  
RED WASH  
8. FARM OR LEASE NAME  
9. WELL NO.  
111 (32-24A)  
10. FIELD OR WILDCAT NAME  
RED WASH UNIT  
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 24, T7S, R22E  
12. COUNTY OR PARISH  
Uintah  
13. STATE  
Utah  
14. API NO.  
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
KB 5236'

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

This well was perforated and acidized as follows:

- |  |                   |
|--|-------------------|
| 1. MIRU, POOH w/Pmp & rods & Prod. string.   | 3 - U.S.G.S.      |
| 2. RIH w/bit & SCRPR TGD fill @ 5532 c/o to 5564 REV. CIRC.  | 2 - State         |
| 3. Perforated 5446-16 w/2 JPF. Injected perfs 5544-82 w/source WTR - Comm w/perfs 5446-16'. RIH w/PKR & set @ 5393'. | 3 - Partners      |
| 4. Acidized perfs (see attached detail sheet) SWBD perfs.  | 1 - Field Foreman |
| 5. RIH w/prod strig, ND BOPE, NU tree, Land tbg. RIH w/Pmp & rods. RD M.O.L.   | 1 - Sec. 723      |
|  | 1 - File          |

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Erin M. Leonard TITLE Engineering Asst. DATE May 19, 1982

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

WELL NAME RWU 111 (32-24A)

FIELD NAME RED WASH UNIT

COMPLETED TREATMENT PROCEDURE

1. Size and type of treatment: 7000 gal 15% HCL
2. Intervals treated: 5416 - 5544'
3. Treatment down casing or tubing: TBG
4. Methods used to localize effects: Benzoic acid flakes and ball sealers were used as diverting agents.
5. Disposal of treating fluid: Spent acid was SWBD back to FRAC tanks.
6. Depth to which well was cleaned out: 5564'
7. Date of work: 4-30-82
8. Company who performed work: Halco
9. Production interval: 5416-5544'
10. Status and production before treatment:

<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
Well Shut-in July 1967			

11. Status and production after treatment:

	<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
(Cumm.)	3/82	78,105	206,145	54,693



WELL NAME: RWU 111 (32-24A)

FIELD: RED WASH UNIT

COMPLETED PERFORATING PROCEDURE

1. Depth, number and size of shots (or depths of rips):

5446-16      2   jPF

2. Company doing work: McCullough

3. Date of work: 5-1-82

4. Additional surface disturbances: NONE.

5. Production after work:

	<u>Date</u>	<u>BOPD</u>	<u>MCFD</u>	<u>BWPD</u>
(Cumm.)	3/82	78,105	206,145	54,693

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐  
2. NAME OF OPERATOR  
Chevron U.S.A. Inc., Rm #11111  
3. ADDRESS OF OPERATOR  
P. O. Box 599, Denver, CO 80201  
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface  
SW $\frac{1}{4}$ NE $\frac{1}{4}$ , 2741' FSL, 1980' FEL

5. LEASE DESIGNATION AND SERIAL NO.  
U-0561  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
7. UNIT AGREEMENT NAME  
Red Wash Unit  
8. FARM OR LEASE NAME  
9. WELL NO.  
111 (32-24A)  
10. FIELD AND POOL, OR WILDCAT  
Red Wash-Green River  
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 24, T7S, R22E  
12. COUNTY OR PARISH  
Uintah  
13. STATE  
Utah

14. PERMIT NO.  
43-047-15229  
15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
5222' GL, 5236' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐ PULL OR ALTER CASING ☐  
FRACTURE TREAT ☐ MULTIPLE COMPLETE ☐  
SHOOT OR ACIDIZE ☐ ABANDON\* ☐  
REPAIR WELL ☐ CHANGE PLANS ☐  
(Other) ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒ REPAIRING WELL ☐  
FRACTURE TREATMENT ☐ ALTERING CASING ☐  
SHOOTING OR ACIDIZING ☒ ABANDONMENT\* ☐  
(Other) ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

RWU #111 (32-24A) was recompleted for water shut-off and acidized as follows:

1. MIRU Western Oil Well Service Rig #18 on 7/2/88. Killed well. ND wellhead. NU and tested BOPE.
2. Pulled 2-7/8" production tubing.
3. Cleaned out to 5575' (PBDT).
4. Tested 7" casing to 500 psi. No leaks.
5. Swabbed perfs 5416-46'. Recovered 100% water at 59 bbls per hour.
6. Squeezed perfs 5416-46' with 300 sxs Class "H" cement to 1500 psi.
7. Drilled out cement to 5455'. Tested cement squeeze to 500 psi. No leaks. Drilled out to 5573' (PBDT).
8. Pumped 750 gals 15% HCl acid into perfs 5483-94' and 5536-44'. Swabbed back acid load.
9. Pumped scale inhibitor squeeze.
10. Ran production string to 5458'. ND BOPE. NU wellhead. Ran pump and rods.
11. Checked pump action. Hung well off.
12. Released rig 7/14/88. TWOTP.

3 - BLM  
3 - State  
2 - Partners  
1 - Gile  
1 - EEM  
1 - MKD  
2 - Drlg  
1 - PLM  
1 - Sec. 724C  
1 - COS

18. I hereby certify that the foregoing is true and correct

SIGNED J. A. Watson

TITLE Technical Assistant

DATE 7/15/88

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

Verbal approval obtained from Jerry Kenzcka (BLM-Vernal) on 6/27/88 prior to start of job.

\*See Instructions on Reverse Side


RWU III

15229

Sec 24, TFSO, R22E

Grubly 5/8/89

✓ N

line  
heaterwell  
head ○

pump jack pad

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT-" for such proposals

5. Lease Designation and Serial No.

U - 5061

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
RED WASH

8. Well Name and No.

111 (32-24A)

9. API Well No.

43-047-15229

10. Field and Pool, or Exploratory Area

RED WASH - GRN.

11. County or Parish, State

RIVER  
UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas

☒ Well ☐ Well ☐ Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION CO.

3. Address and Telephone No.

P.O. BOX 599, DENVER, CO. 80201 (303)930-3691

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2741 FSL, 1980 FEL, SEC. 24, T7S, R22E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other STATUS

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

THIS WELL IS SHUT IN WHILE UPGRADING WELL TEST FACILITIES. WE WILL RE-EVALUATE STATUS AFTER WELL TEST FACILITIES UPGRADES HAVE BEEN COMPLETED.

3 - BLM  
3 - STATE  
1 - JTC  
1 - WELL FILE  
1 - JLW

RECEIVED

APR 09 1992

DIVISION OF  
OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed

Title

Date

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



**Chevron U.S.A. Inc.**

P.O. Box 455, Vernal, UT 84078 • Phone (801) 789-2442

**FEBRUARY 15, 1993**

**ANNUAL REPORT OF  
SHUT-IN WELLS  
WONSITS VALLEY STATE/FEDERAL UNIT  
UINTAH COUNTY, UTAH**

**BUREAU OF LAND MANAGEMENT  
170 SOUTH 500 EAST  
VERNAL, UT 84078**

**GENTLEMEN:**

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

**Sincerely,**

**J.T. CONLEY  
AREA OPERATIONS SUPERVISOR**

sdm  
Enclosures

cc: State of Utah  
Department of Natural Resources  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, UT 84180-1203

**RECEIVED**

**FEB 18 1993**

**DIVISION OF  
OIL GAS & MINING**



**Chevron U.S.A. Inc.**

P.O. Box 455, Vernal, UT 84078 • Phone (801) 789-2442

**FEBRUARY 15, 1993**

**ANNUAL REPORT OF**

**SHUT-IN WELLS**

**RED WASH UNIT**

**UINTAH COUNTY, UTAH**

**BUREAU OF LAND MANAGEMENT  
170 SOUTH 500 EAST  
VERNAL, UT 84078**

**GENTLEMEN:**

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

**Sincerely,**

**J.T. CONLEY  
AREA OPERATIONS SUPERVISOR**

sdm  
Enclosures

cc: State of Utah  
Department of Natural Resources  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, UT 84180-1203

Buttram Energies, Inc.  
6303 Waterford Boulevard, Suite 220  
Oklahoma City, OK 73116

**RECEIVED**

**FEB 18 1993**

**DIVISION OF  
OIL GAS & MINING**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil ☐ Gas  
☒ Well ☐ Well ☐ Other

2. Name of Operator

Chevron U.S.A. Inc.

3. Address and Telephone No.

P.O. Box 455, Vernal, Utah 84078 (801) 789-2442

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2741 FSL, 1980 FEL, SEC. 24, T7S, R22E  
600'

5. Lease Designation and Serial No.  
U-5061

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation  
Red Wash Unit

8. Well Name and No.  
RWU #111 (32-24A)

9. API Well No.  
43-047-15229

10. Field and Pool, or Exploratory Area  
Red Wash-Grn. River

11. County or Parish, State  
Uintah, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other \_\_\_\_\_

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Well test facility upgrades were completed in 1992. We plan to re-evaluate this shut-in production well during 1993.

RECEIVED

FEB 18 1993

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed

Title

Date

02/10/93

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any:

(June 1990)


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT--" for such proposals.



1. Lease Designation and Serial No.

U-5061

2. Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

**CHEVRON U.S.A. PRODUCTION COMPANY**

3. Address and Telephone No.

**11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-4302**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**2741' FSL, 1980' FEL, Sec. 24, T7S/R22E**

7. If Unit or CA, Agreement Designation

**RED WASH UNIT**

8. Well Name and No.

**RWU #111 (32-24A)**

9. API Well No.

**43-047-15229**

10. Field and Pool, or Exploratory Area

**RED WASH-GRN. RIVER**

11. County or Parish, State

**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION



Notice of Intent



Subsequent Report



Final Abandonment Notice

TYPE OF ACTION



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other Well Status



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection



Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**TA approval is requested for this well, pending evaluation of continued oil production potential, gas recompletion potential or conversion to a secondary use.**

14. I hereby certify that the foregoing is true and correct.

Signed

Title

**Operations Assistant**

Date

**08/25/94**

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See instruction on Reverse Side



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993



**SUNDRY NOTICES AND REPORTS ON WELLS - 1990**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Use "APPLICATION FOR PERMIT--" for such proposals

Lease Designation and Serial No.

U-5061

If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

RED WASH UNIT

8. Well Name and No.

RWU #111 (32-24A)

9. API Well No.

43-047-15229

10. Field and Pool, or Exploratory Area

RED WASH-GRN. RIVER

11. County or Parish, State

UINTAH, UTAH

**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-4302

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2741' FSL, 1980' FEL, Sec. 24, T7S/R22E

**CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION



Notice of Intent



Subsequent Report



Final Abandonment Notice

TYPE OF ACTION



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other Well Status



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection



Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

TA approval is requested for this well, pending evaluation of continued oil production potential, gas recompletion potential or conversion to a secondary use.

14. I hereby certify that the foregoing is true and correct.

Signed

*Chana Hough*

Title

Operations Assistant

Date

08/25/94

(This space for Federal or State office use)

Approved by:


Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT



FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--"

5. Lease Designation and Serial No.	U-0561
6. If Indian, Allottee or Tribe Name	N/A
7. If Unit or CA, Agreement Designation	RED WASH UNIT
8. Well Name and No.	RED WASH UNIT 111 (32-24A)
9. API Well No.	43-047-15229
10. Field and Pool, or Exploratory Area	RED WASH - GREEN RIVER
11. County or Parish, State	UINTAH, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well	
Oil	Gas
<input checked="" type="checkbox"/> Well	<input type="checkbox"/> Well <input type="checkbox"/> Other
2. Name of Operator	CHEVRON U.S.A. PRODUCTION COMPANY
3. Address and Telephone No.	11002 E. 17500 S. VERNAL, UT 84078-8526 Steve McPherson in Red Wash (801) 781-4310 or Gary Scott in Rangely, CO. (970) 675-3791
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	2741' 2560' FNL & 2000' FEL (SW NE) SECTION 24, T7S, R22E, SLBM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE ARE REQUESTING AN EXTENSION OF THE TEMPORARILY ABANDONED STATUS OF THIS WELL.

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct.  
Signed G.D. SCOTT *G.D. Scott* Title DRILLING TECHNICIAN Date September 26, 1995

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

***SUBMIT IN TRIPLICATE***

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

**CHEVRON U.S.A. PRODUCTION COMPANY**

3. Address and Telephone No

**11002 E. 17500 S. VERNAL, UT 84078-8526**

**(801) 781-4300**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**2560' FNL & 2000' FEL (SW NE) SECTION 24, T7S, R22E, SLBM**

5. Lease Designation and Serial No.

**U-0561**

6. If Indian, Allottee or Tribe Name

**N/A**

7. If Unit or CA, Agreement Designation

**RED WASH UNIT**

8. Well Name and No.

**RED WASH UNIT 111 32-24A**

9. API Well No.

**43-047-15229**

10. Field and Pool, or Exploratory Area

**RED WASH - GREEN RIVER**

11. County or Parish, State

**UINTAH, UTAH**

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

**TYPE OF SUBMISSION**



Notice of Intent



Subsequent Report



Final Abandonment Notice

**TYPE OF ACTION**



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other **TA STATUS OF WELL**



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection




Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**CHEVRON IS REQUESTING A TA STATUS ON THE ABOVE WELL. WE WILL EVALUATE THIS WELL FOR FUTURE SECONDARY USE WITH OFFSET DRILLING.**



14. I hereby certify that the foregoing is true and correct.

Signed

*D.C. Tanner*

Title

**COMPUTER SYSTEMS OPERATOR**

Date

**12/10/97**

(This space for Federal or State office use)

Approved by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*See instruction on Reverse Side**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well Oil <input type="checkbox"/> Gas <input type="checkbox"/> <input checked="" type="checkbox"/> Well <input type="checkbox"/> Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. <b>U-0561</b>
2. Name of Operator <b>CHEVRON U.S.A. PRODUCTION COMPANY</b>	6. If Indian, Allottee or Tribe Name <b>N/A</b>
3. Address and Telephone No <b>11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300</b>	7. If Unit or CA, Agreement Designation <b>RED WASH UNIT</b>
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>2741 FNL 0660 FEL</b> <b>2500' FNL &amp; 2000' FEL (SW NE) SECTION 24, T7S, R22E, SLBM</b>	8. Well Name and No. <b>RED WASH UNIT 111 32-24A</b>
	9. API Well No. <b>43-047-15229</b>
	10. Field and Pool, or Exploratory Area <b>RED WASH - GREEN RIVER</b>
	11. County or Parish, State <b>UINTAH, UTAH</b>


12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>TA STATUS FOR WELL</u>	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE BELIEVE A RETURN TO PRODUCTION COULD BE JUSTIFIED IN THE FUTURE.



14. I hereby certify that the foregoing is true and correct.  
Signed D. C. BEAMAN Title COMPUTER SYSTEMS OPERATOR Date 3/18/1999

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil Gas <input type="checkbox"/> Well <input type="checkbox"/> Well <input checked="" type="checkbox"/> Other MULTIPLE WELLS SEE ATTACHED LIST	5. Lease Designation and Serial No.
2. Name of Operator CHEVRON U.S.A. INC.	6. If Indian, Allottee or Tribe Name N/A
3. Address and Telephone No 11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300	7. If Unit or CA, Agreement Designation RED WASH UNIT I-SEC NO 761
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	8. Well Name and No.
	9. API Well No.
	10. Field and Pool, or Exploratory Area RED WASH - GREEN RIVER
	11. County or Parish, State UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.  
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be  
Shenandoah Energy Inc.  
475 17th Street, Suite 1000  
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.

By:   
Mitchell L. Solich  
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.  
Signed A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

**OPERATOR CHANGE WORKSHEET****ROUTING**

1. GLH	4-KAS ✓
2. CDW ✓	5-SJ
3. JLT	6-FILE

Enter date after each listed item is completed

**X Change of Operator (Well Sold)**

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

**TO:** ( New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

**CA No.****Unit: RED WASH****WELL(S)**

NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
RWU 110 (23-23A)	43-047-15228	5670	23	07S	22E	FEDERAL
RWU 111 (32-24A)	43-047-15229	5670	24	07S	22E	FEDERAL
RWU 112 (32-28A)	43-047-15230	5670	28	07S	22E	FEDERAL
RWU 119 (43-29A)	43-047-15236	5670	29	07S	22E	FEDERAL
RWU 126 (41-29A)	43-047-15243	5670	29	07S	22E	FEDERAL
RWU 121 (13-13B)	43-047-15238	5670	13	07S	23E	FEDERAL
RWU 122 (24-14B)	43-047-15239	5670	14	07S	23E	FEDERAL
RWU 103 (34-15B)	43-047-15222	5670	15	07S	23E	FEDERAL
RWU 129 (14-15B)	43-047-15246	5670	15	07S	23E	FEDERAL
RWU 115 (21-19B)	43-047-15233	5670	19	07S	23E	FEDERAL
RWU 125 (34-19B)	43-047-15242	5670	19	07S	23E	FEDERAL
RWU 127 (12-19B)	43-047-15244	5670	19	07S	23E	FEDERAL
RWU 136 (43-19B)	43-047-15252	5670	19	07S	23E	FEDERAL
RWU 101 (34-21B)	43-047-15220	5670	21	07S	23E	FEDERAL
RWU 108 (32-21B)	43-047-15226	5670	21	07S	23E	FEDERAL
RWU 13 (14-22B)	43-047-15143	5670	22	07S	23E	FEDERAL
RWU 10 (12-23B)	43-047-15141	5670	23	07S	23E	FEDERAL
RWU 1 (41-26B)	43-047-15135	5670	26	07S	23E	FEDERAL
RWU 109 (21-28B)	43-047-15227	5670	28	07S	23E	FEDERAL
RWU 120 (23-28B)	43-047-15237	5670	28	07S	23E	FEDERAL
RWU 137 (34-28B)	43-047-15253	5670	28	07S	23E	FEDERAL
RWU 138 (41-30B)	43-047-15254	5670	30	07S	23E	FEDERAL
RWU 133 (41-34B)	43-047-15250	5670	34	07S	23E	FEDERAL

**OPERATOR CHANGES DOCUMENTATION**1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on:12/30/19992. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on:08/09/2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/23/2000

4. Is the new operator registered in the State of Utah: YES Business Number: 224885

5. If **NO**, the operator was contacted contacted on: \_\_\_\_\_

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 02/04/2000

7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 02/04/2000

8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A

9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 08/30/2000

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 08/30/2000

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

**STATE BOND VERIFICATION:**

1. State well(s) covered by Bond No.: N/A

**FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

**FILMING:**

1. All attachments to this form have been **MICROFILMED** on: 3.5.01

**FILING:**

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: \_\_\_\_\_

**COMMENTS:**



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

# RECEIVED

FEB 07 2000

DIVISION OF  
OIL, GAS AND MINING

IN REPLY REFER TO  
UT-931

February 4, 2000

Shenandoah Energy Inc.  
Attn: Rae Cusimano  
475 17<sup>th</sup> Street, Suite 1000  
Denver, Colorado 80202

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)  
Division of Oil, Gas & Mining  
Minerals Adjudication Group U-932  
File - Red Wash Unit (w/enclosure)  
MMS - Data Management Division  
Agr. Sec. Chron  
Fluid Chron

UT931:TAThompson:tt:2/4/00



Well Status Report  
Utah State Office  
Bureau of Land Management

Lease Api Number Well Name QTR Section Township Range Well Status Operator

\*\* Inspection Item: 8920007610

UTU0566	4304715135	1 (41-26B) RED WASH NENE	26	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU082	4304715141	10 (12-23B) RED WASH SWNW	23	T	7S	R23E	OSI	CHEVRON U S A INCORPORATED
UTU0559	4304715219	100A (43-21A) RED WA NESE	21	T	7S	R22E	WIW	CHEVRON U S A INCORPORATED
UTU0567	4304715220	101 (34-21B) RED WAS SWSE	21	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715221	102 (41-24A) RED WAS SENE	24	T	7S	R22E	WIW	CHEVRON U S A INCORPORATED
UTU081	4304715222	103 (34-15B) RED WAS SWSE	15	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
<del>UTU0559</del>	<del>4304715223</del>	<del>104 (14-22A) RED WAS SWSW</del>	<del>22</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU0560</del>	<del>4304716487</del>	<del>105 (32-29A) RED WAS SWNE</del>	<del>29</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU02148</del>	<del>4304715224</del>	<del>106 (12-17C) RED WAS SWNW</del>	<del>17</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU0558</del>	<del>4304715225</del>	<del>107 (12-28A) RED WAS SWNW</del>	<del>28</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU0567	4304715226	108 (32-21B) RED WAS SWNE	21	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU02025	4304715227	109 (21-28B) RED WAS NENW	28	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304715142	11 (34-27B) RED WASH SWSE	27	T	7S	R23E	WIW	CHEVRON U S A INCORPORATED
UTU0559	4304715228	110 (23-23A) RED WAS NESW	23	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
UTU0561	4304715229	111 (32-24A) RED WAS SWNE	24	T	7S	R22E	TA	CHEVRON U S A INCORPORATED
UTU0558	4304715230	112 (32-28A) RED WAS SWNE	28	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
<del>UTU0558</del>	<del>4304715232</del>	<del>114 (41-20A) RED WAS NENE</del>	<del>20</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU02030	4304715233	115 (21-19B) RED WAS NENW	19	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTU0558</del>	<del>4304715234</del>	<del>116 (23-28A) RED WAS NESW</del>	<del>28</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU0560</del>	<del>4304716488</del>	<del>117 (14-21A) RED WAS SWSW</del>	<del>21</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU0560	4304715236	119 (43-29A) RED WAS NESE	29	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
<del>UTU082</del>	<del>4304716474</del>	<del>12 (41-24B) RED WASH NENE</del>	<del>24</del>	<del>T</del>	<del>7S</del>	<del>R23E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU02025	4304715237	120 (23-28B) RED WAS NESW	28	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU081	4304715238	121 (13-13B) RED WAS NWSW	13	T	7S	R23E	PGW	CHEVRON U S A INCORPORATED
UTU081	4304715239	122 (24-14B) RED WAS SESW	14	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTU066446A</del>	<del>4304715240</del>	<del>123 (43-13A) RED WAS NESE</del>	<del>13</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU0558</del>	<del>4304715241</del>	<del>124 (14-28A) RED WAS SWSW</del>	<del>28</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU02030	4304715242	125 (34-19B) RED WAS SWSE	19	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0560	4304715243	126 (41-29A) RED WAS NENE	29	T	7S	R22E	POW	CHEVRON U S A INCORPORATED
UTU02030	4304715244	127 (12-19B) RED WAS SWNW	19	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTU0559</del>	<del>4304715245</del>	<del>128 (32-23A) RED WAS SWNE</del>	<del>23</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU081	4304715246	129 (14-15B) RED WAS SWSW	15	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU081	4304715143	13 (14-22B) RED WASH SWSW	22	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
<del>UTU071965</del>	<del>4304715247</del>	<del>130 (32-27C) RED WAS SWNE</del>	<del>27</del>	<del>T</del>	<del>7S</del>	<del>R24E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU0559</del>	<del>4304715248</del>	<del>131 (41-22A) RED WAS NENE</del>	<del>22</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU0823</del>	<del>4304715249</del>	<del>132 (32-5F) RED WASH SWNE</del>	<del>5</del>	<del>T</del>	<del>8S</del>	<del>R24E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU0566	4304715250	133 (41-34B) RED WAS NENE	34	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTU02025</del>	<del>4304716489</del>	<del>134 (14-28B) RED WAS SWSW</del>	<del>28</del>	<del>T</del>	<del>7S</del>	<del>R23E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
<del>UTU0416</del>	<del>4304715251</del>	<del>135 (12-18B) RED WAS SWNW</del>	<del>18</del>	<del>T</del>	<del>7S</del>	<del>R23E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU02030	4304715252	136 (43-19B) RED WAS NESE	19	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02030	4304715253	137 (34-28B) RED WAS SWSE	28	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
UTU02025	4304715254	138 (41-30B) RED WAS NENE	30	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
<del>UTU02025</del>	<del>4304716490</del>	<del>139 (43-29B) RED WAS NESE</del>	<del>29</del>	<del>T</del>	<del>7S</del>	<del>R23E</del>	<del>ABD</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU081	4304715144	14 (14-13B) RED WASH SWSW	13	T	7S	R23E	WIWSI	CHEVRON U S A INCORPORATED
UTU081	4304715255	140 (24-22B) RED WAS SESW	22	T	7S	R23E	POW	CHEVRON U S A INCORPORATED
UTU0566	4304715256	141 (11-27B) RED WAS SWNW	27	T	7S	R23E	TA	CHEVRON U S A INCORPORATED
<del>UTU0574</del>	<del>4304716491</del>	<del>142 (12-33A) RED WAS SWNW</del>	<del>33</del>	<del>T</del>	<del>7S</del>	<del>R22E</del>	<del>P+A</del>	<del>CHEVRON U S A INCORPORATED</del>
UTU081	4304715257	143 (33-14B) RED WAS NWSE	14	T	7S	R23E	POW	CHEVRON U S A INCORPORATED

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas  
☒ Well ☐ Well ☐ Other

2. Name of Operator

SHENANDOAH ENERGY, INC

3. Address and Telephone No

11002 E. 17500 S. VERNAL, UT 84078-8526

(801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2741 660  
2560' FNL & 2000' FEL (SW NE) SECTION 24, T7S, R22E, SLBM

5. Lease Designation and Serial No.

U-0561

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

RED WASH UNIT

8. Well Name and No.

RED WASH UNIT 111 32-24A

9. API Well No.

43-047-15229

10. Field and Pool, or Exploratory Area

RED WASH - GREEN RIVER

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other TA STATUS FOR WELL  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.

WE BELIEVE A RETURN TO PRODUCTION COULD BE JUSTIFIED IN THE FUTURE.

RECEIVED

APR 17 2000

DIVISION OF  
OIL, GAS AND MINING

COPY SENT TO OPERATOR  
Date: 4-20-00  
Initials: CHO

14. I hereby certify that the foregoing is true and correct.

Signed D. C. BEAMAN *D. C. Beaman*

Title OFFICE MANAGER

Date 04/12/00

(This space for Federal or State office use)

Approved by: Title Date

Conditions of approval, if any

~~The Extension for Shut-in Time issued 08 March 1999 EXPIRED 08 March 2000~~ Accepted by the  
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or  
In accordance with R649-5-36.3, provide the Division of Oil, Gas & Mining a Showing Utah Division of

of Good Cause as to why this well should not be plugged. M. Hebertson

Oil, Gas & Mining

\*See instruction on Reverse Side

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. RWU 111 32-24A
2. Name of Operator SHENANDOAH ENERGY INC.		Contact: ANN PETRIK E-Mail: ann.petrik@questar.com
3a. Address 11002 EAST 17500 SOUTH VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.4306 Fx: 435.781.4329	9. API Well No. 43-047-15229
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 24 T7S R22E SWNE 1/4 2560 FNL 2000 FEL		10. Field and Pool, or Exploratory RED WASH
		11. County or Parish, and State Uintah County, UT

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

**WE REQUEST A TA STATUS APPROVAL FOR THIS WELL.**


**WE BELIEVE A RETURN TO INJECTION COULD BE JUSTIFIED IN THE FUTURE.**

INCIDENT #RA02093

**THIS SUNDRY IS BEING RETURNED; INSUFFICIENT DATA WAS SUBMITTED TO APPROVE THE REQUESTED ACTION.**

The well has been nonactive or nonproductive for 13 years 4 months. In accordance with R649-3-36, a sundry notice shall be filed indicating the nature and length of time for the well shut-in or temporary abandonment and a demonstration of the well's integrity; evidence that the well is not a risk to public health and safety or the environment.

October 11, 2002

14. I hereby certify that the foregoing is true and correct. <b>Electronic Submission #14613 verified by the BLM Well Information System          For SHENANDOAH ENERGY INC., sent to the Vernal</b>		Utah Division of Oil, Gas and Mining
Name (Printed/Typed) <b>ANN PETRIK</b>	Title <b>ADMINISTRATIVE CONTACT</b>	
Signature  (Electronic Submission)	Date <b>09/27/2002</b>	

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

<u>Approved By</u> _____ Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Title _____  Office _____	Date _____
---	---------------------------------	------------

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\***

~~CONFIDENTIAL~~

## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

Merger

The operator of the well(s) listed below has changed, effective:

**2/1/2003**

FROM: (Old Operator):	TO: ( New Operator):
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No.

Unit:

RED WASH

## WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P	
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA	
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P	
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P	
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P	
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P	
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P	
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P	
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P	
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA	
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA	
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P	
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA	
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA	

## OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/20032. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/20033. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/20034. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151

5. If NO, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 8/28/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/28/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: 965-003-032

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: ESB000024

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 799446

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The FORMER operator has requested a release of liability from their bond on: n/a  
The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**



May 28, 2003

Division of Oil, Gas, & Mining  
1594 West North Temple, Suite 1210  
P. O. Box 145801  
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen  
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA	
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P	
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA	
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P	
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P	
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P	
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P	
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P	
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA	
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P	
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P	
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P	
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA	
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P	
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P	
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA	
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P	
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA	
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P	
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA	
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P	
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA	
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA	
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P	
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P	
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P	
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P	
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P	
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA	
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P	
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA	
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S	
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA	
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA	
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA	
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA	
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA	
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA	
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P	
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA	
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA	
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA	
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P	
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S	
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S	
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S	
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P	
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P	
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA	
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P	
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P	
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P	
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	

well_name	Sec	T	R	api	Entity	Lease Type	type	stat
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P



well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

## SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

June 9, 2003

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File - Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:6/9/03

**JUL 07 2003**

3104 (932.34)WF  
Nationwide Bond ESB000024

**NOTICE**

QEP Uinta Basin, Inc.  
1050 17<sup>th</sup> Street Suite 500  
Denver, Colorado 80265

:  
: Oil and Gas  
: lease  
:

**Name Change Recognized**

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

*S/ Wilbert B. Forbes*

Wilbert B. Forbes  
Land Law Examiner  
Branch of Use Authorization  
Division of Resources Planning,  
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin  
MFO

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

***SUBMIT IN TRIPLICATE***

1. Type of Well

Oil

Gas



Well



Well



Other

2. Name of Operator

**QEP UINTA BASIN, INC.**

3. Address and Telephone No.

**11002 E. 17500 S. VERNAL, UT 84078-8526**

**Contact: Kirk Fleetwood (435) 781-4341**

**kirk.fleetwood@questar.com**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**~~2560'~~ FNL, ~~2000'~~ FEL, SWNE, SECTION 24, T7S, R23E, SLBM**  
**2741 660**

5. Lease Designation and Serial No.

**UTU 0561**

6. If Indian, Allottee or Tribe Name

**N/A**

7. If Unit or CA, Agreement Designation

**Redwash**

8. Well Name and No.

**RWU 32-24~~8~~9**

9. API Well No.

**43-047-15229**

10. Field and Pool, or Exploratory Area

**Red Wash - Green River**

11. County or Parish, State

**UINTAH COUNTY, UTAH**

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION



Notice of Intent



Subsequent Report



Final Abandonment Notice

TYPE OF ACTION



Abandonment



Recompletion



Plugging Back



Casing Repair



Altering Casing



Other



Change of Plans



New Construction



Non-Routine Fracturing



Water Shut-Off



Conversion to Injection



Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**QEP requests approval to recomplate this well using the following procedure:**

1. Set CIBP at  $\pm 5500'$  cap with a minimum of 35' of cement
2. Add new perfs at 4878-4886', and 4901-4922'
3. Acidize the new perfs with 500 gal. 15% HCL
4. Place well on production.

Accepted by the  
Utah Division of  
Oil, Gas and Mining

Date: 9/20/05  
By: [Signature]

Federal Approval Of This  
Action Is Necessary

14. I hereby certify that the foregoing is true and correct  
Signed

[Signature]

Title **Production Engineer**

Date **9/15/2005**

(This space for Federal or State office use)

Approved  
by:

Title

Date

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

\*See instruction on Reverse Side

SEP 20 2005

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

**ROUTING**

1. DJJ

2. CDW

Change of Operator (Well Sold)

**X - Operator Name Change/Merger**

The operator of the well(s) listed below has changed, effective:

**1/1/2007**

<b>FROM: (Old Operator):</b> N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900	<b>TO: ( New Operator):</b> N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 672-6900
---	--

CA No.				Unit:	RED WASH UNIT			
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: \_\_\_\_\_
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS: THIS IS A COMPANY NAME CHANGE.**

**SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED**

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENE	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P



Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA



QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)  
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD



## RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER \_\_\_\_\_

2. NAME OF OPERATOR  
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:  
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
see attached

7. UNIT or CA AGREEMENT NAME:  
see attached

8. WELL NAME and NUMBER:  
see attached

9. API NUMBER:  
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President  
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER \_\_\_\_\_

2. NAME OF OPERATOR:

QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR:

1050 17th Street Suite 500 City: Denver

STATE: CO ZIP: 80265

PHONE NUMBER:

(303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:  
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:  
see attached

7. UNIT or CA AGREEMENT NAME:  
see attached

8. WELL NAME and NUMBER:  
see attached

9. API NUMBER:  
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ NOTICE OF INTENT  
(Submit in Duplicate)

Approximate date work will start:

1/1/2007

☐ SUBSEQUENT REPORT  
(Submit Original Form Only)

Date of work completion:

TYPE OF ACTION

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☐ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☒ OTHER: Well Name Changes

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE [Signature]

DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING





# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155



IN REPLY REFER TO  
3180  
UT-922

April 23, 2007

Questar Exploration and Production Company  
1050 17th Street, Suite 500  
Denver, Colorado 80265

Re: Red Wash Unit  
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble  
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
File - Red Wash Unit (w/enclosure)  
Agr. Sec. Chron  
Reading File  
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

***SUBMIT IN TRIPLICATE***

1. Type of Well Oil <input type="checkbox"/> Gas <input type="checkbox"/> <input checked="" type="checkbox"/> Well <input type="checkbox"/> Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. <b>UTU 0561</b>
2. Name of Operator <b>QEP UINTA BASIN, INC.</b>	6. If Indian, Allottee or Tribe Name <b>N/A</b>
3. Address and Telephone No <b>11002 E. 17500 S. VERNAL, UT 84078-8526</b> <b>Contact: Kirk Fleetwood (435) 781-4341</b> <b>kirk.fleetwood@questar.com</b>	7. If Unit or CA, Agreement Designation <b>Redwash Unit</b>
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <del>2560' FNL, 2000' FEL, SWNE, SECTION 24, T7S, R22E, SLBM</del> <b>2741 FNL 0660 FEL</b>	8. Well Name and No <b>RWU 32-24A</b>
	9. API Well No <b>43-047-15229</b>
	10. Field and Pool, or Exploratory Area <b>Redwash</b>
	11. County or Parish, State <b>UINTAH COUNTY, UTAH</b>

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form )

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

**QEP requests approval to recomplete this well as follows:**

1. Clean out to 5560'
2. Set CIBP at 5550', cap with 35' cement
3. Perforate 4878'-4886', 4901-4922'
4. Breakdown and acidize new perfs with 750 gallons 15% HCL
5. Place the well on production

2-24-06  
CWD

**FEB 16 2006**

14. I hereby certify that the foregoing is true and correct.  
Signed Kirk Fleetwood Title Production Engineer Date 2/10/2006

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_  
Conditions of approval, if any \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See instruction on Reverse Side  
Date: 2/21/06  
By: [Signature]

Accepted by the  
Utah Division of  
Oil, Gas and Mining

Federal Approval Of This  
Action Is Necessary

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir  
Use "APPLICATION FOR PERMIT--" for such proposals

***SUBMIT IN TRIPLICATE***

1. Type of Well Oil <input type="checkbox"/> Gas <input type="checkbox"/> <input checked="" type="checkbox"/> Well <input type="checkbox"/> Well <input type="checkbox"/> Other	
2. Name of Operator <b>QUESTAR EXPLORATION &amp; PRODUCTION CO.</b>	
3. Address and Telephone No. <b>11002 East 17500 South - Vernal, UT 84078</b> <b>Contact: dahn.caldwell@questar.com</b> <b>435.781.4342 Fax 435.781.4357</b>	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>SEC 24-T7S-R22E - SWNE</b>	

5. Lease Designation and Serial No. <b>UTU0561</b>
6. If Indian, Allottee or Tribe Name <b>N/A</b>
7. If Unit or CA, Agreement Designation <b>REDWASH UNIT</b> <b>89200007610</b>
8. Well Name and No. <b>RW 32-24A</b>
9. API Well No. <b>43-047-15229</b>
10. Field and Pool, or Exploratory Area <b>RED WASH</b>
11. County or Parish, State <b>UINTAH, UT</b>

12. **CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <b>RECOMPLETION</b>	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)
- The Recomp of RW 32-24A was started on 4/10/06 & completed on 4/20/06.**
- 1- Hot Oiler circulated well clean. POOH w/ 2-7/8" tbg, bit & csg scraper.**
  - 2- RU WL. RIH & run csg collar strip to 5476'. RIH w/ 7" CIBP & set @ 5400'. Dump bail 35' cement on top of CIBP. Test csg to 1000#. Test good.**
  - 3- RIH w/ WL & perforate 4872' - 4880' & 4892' - 4913' (Green River).**
  - 4- RIH w/ 7" HD PKR, PSN, & 154 jts 2-7/8" tbg.**
  - 5- RU Acid Crew. Spot acid 2 bbls from bottom of tbg. Set PKR. Break down perfs @ 1500#. Pump total of 2310 gals @ avg rate of 4.8 BPM. Flush w/ brine water.**
  - 6- Swab.**
  - 7- Bleed tbg down. Release 7" PKR. RIH w/ production tbg. EOT @ 4970'. Turn well over to production on 4/20/06.**

14. I hereby certify that the foregoing is true and correct.  
Signed **Jim Simonton** Title **Completion Supervisor** Date **6/27/08**

(This space for Federal or State office use)

Approved by: \_\_\_\_\_ Title \_\_\_\_\_ Date **JUN 27 2008**

Conditions of approval, if any

**RECEIVED**  
**JUN 27 2008**  
DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET** (for state use only)

**ROUTING**  
**CDW**

Change of Operator (Well Sold)

**X - Operator Name Change**

The operator of the well(s) listed below has changed, effective:

**6/14/2010**

<b>FROM: (Old Operator):</b> N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048	<b>TO: ( New Operator):</b> N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265  Phone: 1 (303) 308-3048
--	---

**CA No.**

**Unit:**

**RED WASH**

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1 TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER \_\_\_\_\_

2 NAME OF OPERATOR:  
Questar Exploration and Production Company *N5085*

3. ADDRESS OF OPERATOR:  
1050 17th Street, Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 672-6900

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached

COUNTY: Attached

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: ~~965003033~~ *965010695*

BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) Morgan Anderson

TITLE Regulatory Affairs Analyst

SIGNATURE

DATE 6/23/2010

(This space for State use only)

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED *6/30/2009*

*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 34-23B	23	070S	230E	4304715136	5670	Federal	OW	P	
RW 41-23B	23	070S	230E	4304715138	5670	Federal	OW	P	
RW 32-22B	22	070S	230E	4304715139	5670	Federal	OW	P	
RW 43-23B	23	070S	230E	4304715140	5670	Federal	OW	P	
RW 32-17C	17	070S	240E	4304715145	5670	Federal	OW	P	
RW 34-26B	26	070S	230E	4304715148	5670	Federal	GW	TA	
RW 32-14B	14	070S	230E	4304715150	5670	Federal	OW	P	
RW 34-14B	14	070S	230E	4304715152	5670	Federal	OW	S	
RW 23-22B	22	070S	230E	4304715153	5670	Federal	OW	TA	
RW 43-22B	22	070S	230E	4304715155	5670	Federal	OW	P	
RW 32-23B	23	070S	230E	4304715156	5670	Federal	OW	P	
RW 23-13B	13	070S	230E	4304715157	5670	Federal	GW	TA	
RW 34-22B	22	070S	230E	4304715158	5670	Federal	OW	P	
RW 32-13B	13	070S	230E	4304715163	5670	Federal	GW	P	
RW 14-23B	23	070S	230E	4304715165	5670	Federal	OW	S	
RW 14-24A	24	070S	220E	4304715166	17554	Federal	OW	DRL	
RW 21-24B	24	070S	230E	4304715167	5670	Federal	OW	TA	
RW 34-13B	13	070S	230E	4304715168	5670	Federal	OW	P	
RW 21-29C	29	070S	240E	4304715169	5670	Federal	GW	P	
RW 12-17B	17	070S	230E	4304715170	5670	Federal	OW	P	
RW 32-33C	33	070S	240E	4304715171	5670	Federal	GW	P	
RW 14-23A	23	070S	220E	4304715176	5670	Federal	OW	P	
RW 12-18C	18	070S	240E	4304715183	5670	Federal	OW	P	
RW 21-22B	22	070S	230E	4304715186	5670	Federal	GW	TA	
RW 34-18B	18	070S	230E	4304715189	5670	Federal	OW	P	
RW 21-27B	27	070S	230E	4304715191	5670	Federal	OW	TA	
RW 23-22A	22	070S	220E	4304715192	5670	Federal	OW	P	
RW 21-18C	18	070S	240E	4304715193	5670	Federal	OW	P	
RW 12-13B	13	070S	230E	4304715196	5670	Federal	GW	S	
RW 32-18C	18	070S	240E	4304715198	5670	Federal	GW	P	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RW 32-28B	28	070S	230E	4304715200	5670	Federal	OW	P	
RW 12-27B	27	070S	230E	4304715201	5670	Federal	OW	TA	
RW 14-27B	27	070S	230E	4304715202	5670	Federal	OW	P	
RW 41-31B	31	070S	230E	4304715203	5670	Federal	OW	P	
RW 41-27A	27	070S	220E	4304715205	5670	Federal	OW	S	
RW 44-14B	14	070S	230E	4304715206	5670	Federal	GW	P	
RW 43-21B	21	070S	230E	4304715211	5670	Federal	OW	P	
RW 12-22A	22	070S	220E	4304715213	5670	Federal	OW	P	
RW 12-22B	22	070S	230E	4304715218	5670	Federal	OW	P	
RW 34-21B	21	070S	230E	4304715220	5670	Federal	OW	P	
RW 34-15B	15	070S	230E	4304715222	5670	Federal	OW	P	
RW 32-21B	21	070S	230E	4304715226	5670	Federal	OW	P	
RW 21-28B	28	070S	230E	4304715227	5670	Federal	OW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 23-23A	23	070S	220E	4304715228	5670	Federal	OW	P	
RW 32-24A	24	070S	220E	4304715229	5670	Federal	OW	P	
RW 32-28A	28	070S	220E	4304715230	5670	Federal	OW	S	
RW 21-19B	19	070S	230E	4304715233	5670	Federal	OW	P	
RW 43-29A	29	070S	220E	4304715236	5670	Federal	OW	S	C
RW 23-28B	28	070S	230E	4304715237	17525	Federal	OW	P	C
RW 13-13B	13	070S	230E	4304715238	5670	Federal	GW	P	
RW 24-14B	14	070S	230E	4304715239	5670	Federal	OW	P	
RW 41-29A	29	070S	220E	4304715243	5670	Federal	OW	P	
RW 14-15B	15	070S	230E	4304715246	5670	Federal	OW	P	
RW 41-34B	34	070S	230E	4304715250	5670	Federal	OW	P	
RW 41-30B	30	070S	230E	4304715254	5670	Federal	OW	P	
RW 24-22B	22	070S	230E	4304715255	5670	Federal	OW	P	
RW 33-14B	14	070S	230E	4304715257	5670	Federal	OW	P	
RW 21-18B	18	070S	230E	4304715258	5670	Federal	OW	TA	
RW 22-22B	22	070S	230E	4304715260	5670	Federal	OW	TA	C
RW 42-14B	14	070S	230E	4304715264	5670	Federal	OW	P	
RW 14-29B	29	070S	230E	4304715265	5670	Federal	OW	P	
RW 32-30B	30	070S	230E	4304715268	5670	Federal	OW	P	
RW 32-15B	15	070S	230E	4304715270	5670	Federal	OW	P	
RW 12-20B	20	070S	230E	4304715272	5670	Federal	OW	S	
RW 12-28B	28	070S	230E	4304715274	5670	Federal	OW	P	
RW 32-26B	26	070S	230E	4304715275	5670	Federal	GW	TA	
RW 31-28B	28	070S	230E	4304715283	5670	Federal	OW	TA	
RW 34-30B	30	070S	230E	4304715288	5670	Federal	OW	P	
RW 23-26B	26	070S	230E	4304715290	5670	Federal	GW	S	
RW 41-33A	33	070S	220E	4304715294	5670	Federal	OW	P	
RW 43-24B	24	070S	230E	4304715295	5670	Federal	GW	TA	
RW 12-14B	14	070S	230E	4304715296	5670	Federal	OW	S	
RW 32-28C	28	070S	240E	4304715302	5670	Federal	GW	P	
RW 23-25A	25	070S	220E	4304715305	5670	Federal	OW	P	
RW 41-8F	08	080S	240E	4304720014	5670	Federal	GW	P	
RW 44-21C	21	070S	240E	4304730149	5670	Federal	GW	S	
RW 13-27B	27	070S	230E	4304730199	5670	Federal	OW	TA	
RW 21-34B	34	070S	230E	4304730258	5670	Federal	OW	P	
RW 43-26B	26	070S	230E	4304730259	5670	Federal	OW	TA	
RW 14-18C	18	070S	240E	4304730309	5670	Federal	OW	P	
RW 12-26B	26	070S	230E	4304730311	5670	Federal	OW	TA	
RW 32-24B	24	070S	230E	4304730313	5670	Federal	OW	P	
RW 34-18C	18	070S	240E	4304730314	5670	Federal	OW	P	
RW 21-19C	19	070S	240E	4304730340	5670	Federal	GW	P	
RW 14-25B	25	070S	230E	4304730341	5670	Federal	OW	P	
RW 32-35B	35	070S	230E	4304730342	5670	Federal	OW	TA	
RW 12-36B	36	070S	230E	4304730344	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 22-14B	14	070S	230E	4304730345	5670	Federal	OW	P	
RW 42-13B	13	070S	230E	4304730346	5670	Federal	OW	P	
RW 23-19C	19	070S	240E	4304730348	5670	Federal	GW	P	
RW 22-18C	18	070S	240E	4304730387	5670	Federal	OW	P	
RW 22-17C	17	070S	240E	4304730388	5670	Federal	GW	P	
RW 44-26B	26	070S	230E	4304730520	5670	Federal	GW	P	
RW 42-27B	27	070S	230E	4304731051	5670	Federal	OW	TA	
RW 44-27B	27	070S	230E	4304731053	5670	Federal	OW	TA	
RW 44-23B	23	070S	230E	4304731054	5670	Federal	GW	P	
RW 11-35B	35	070S	230E	4304731079	5670	Federal	OW	P	
RW 22-35B	35	070S	230E	4304731082	5670	Federal	OW	P	
RW 33-23B	23	070S	230E	4304731476	5670	Federal	GW	TA	
RW 11-24B	24	070S	230E	4304731477	5670	Federal	OW	P	
RW 42-21B	21	070S	230E	4304731478	5670	Federal	OW	P	
RW 13-24B	24	070S	230E	4304731517	5670	Federal	OW	P	
RW 42-23B	23	070S	230E	4304731576	5670	Federal	GW	TA	
RW 12-35B	35	070S	230E	4304731578	5670	Federal	OW	S	
RW 24-15B	15	070S	230E	4304731579	5670	Federal	OW	P	
RW 24-18C	18	070S	240E	4304731582	5670	Federal	GW	P	
RW 43-15B	15	070S	230E	4304731682	17643	Federal	GW	DRL	C
RW 34-17B	17	070S	230E	4304731819	5670	Federal	OW	P	
RW 41-4F	04	080S	240E	4304732538	5670	Federal	GW	TA	
RW 23-23C	23	070S	240E	4304732629	5670	Federal	GW	P	
RW 14-17B	17	070S	230E	4304732738	5670	Federal	OW	P	
RW 32-17B	17	070S	230E	4304732981	5670	Federal	OW	P	
RW 32-18B	18	070S	230E	4304733018	5670	Federal	OW	P	
RW 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RW 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RW 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RW 22-21B	21	070S	230E	4304733522	5670	Federal	OW	S	
RW 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RW 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RW 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RW 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RW 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RW 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RW 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RW 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RW 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RW 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RW 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	
RW 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RW 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RW 42-30B	30	070S	230E	4304733771	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695



Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)  
RED WASH  
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RW 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RW 34-27C	27	070S	240E	4304735045	5670	Federal	GW	P	
RW 34-22C	22	070S	240E	4304735098	5670	Federal	GW	P	
RW 34-23AG	23	070S	220E	4304735668	5670	Federal	OW	P	
RWU 32-27AG	27	070S	220E	4304735670	5670	Federal	OW	P	
RW 14-34AMU	34	070S	220E	4304735671	14277	Federal	GW	P	
RW 44-08FG	08	080S	240E	4304736349	15261	Federal	GW	P	
RW 34-34 AD	34	070S	220E	4304736351	16177	Federal	GW	P	
RW 33-31 BD	31	070S	230E	4304736357		Federal	GW	APD	C
RW 13-31 BD	31	070S	230E	4304736358		Federal	GW	APD	C
RW 21-26AD	26	070S	220E	4304736768	5670	Federal	OW	OPS	C
RW 43-26AG	26	070S	220E	4304736769	16575	Federal	OW	OPS	C
RW 43-23AG	23	070S	220E	4304736770	5670	Federal	OW	OPS	C
RW 41-26AG	26	070S	220E	4304736818	5670	Federal	OW	OPS	C
RW 04-25B	25	070S	230E	4304736982	17224	Federal	OW	P	
RW 34-27ADR	27	070S	220E	4304739445	16330	Federal	GW	P	
RW 32-29CD	29	070S	240E	4304739854		Federal	GW	APD	C
RW 24-10FD	10	080S	240E	4304739963		Federal	GW	APD	C
RW 34-20CD	20	070S	240E	4304739964		Federal	GW	APD	C
RW 32-20CD	20	070S	240E	4304739965		Federal	GW	APD	
RW 24-21CD	21	070S	240E	4304739966		Federal	GW	APD	C
RW 41-28CD	28	070S	240E	4304739967		Federal	GW	APD	C
RW 41-33CD	33	070S	240E	4304739968		Federal	GW	APD	C
RW 14-35 AMU	35	070S	220E	4304740051		Federal	GW	APD	C
RW 44-35 AMU	35	070S	220E	4304740052		Federal	GW	APD	
RW 12-17FG	17	080S	240E	4304740602		Federal	GW	APD	C

Bonds: BLM = ESB000024  
BIA = 956010693  
State = 965010695



## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:  
3100  
(UT-922)

JUL 28 2010

#### Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office  
From: Chief, Branch of Minerals *Roger L. Bankert*  
Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS  
UDOGM

RECEIVED

AUG 16 2010

DIV. OF OIL, GAS & MINERAL